

Resolution 16-100

**RESOLUTION TO PROPOSE MODIFY ALL
INDUSTRIAL PRETREATMENT PROGRAM
(IPP) PERMITS TO REQUIRE
PREPARATION OF EMERGENCY
DISCHARGE LIMITATION PLANS**

WHEREAS, the Rockaway Valley Regional Sewerage Authority (hereinafter "the Authority") is a Delegated Local Agency of the New Jersey Department of Environmental Protection and administers an industrial pretreatment program to allow for and regulate the discharge of industrial effluent via a permit program pursuant to RVRSA's "Service Rules, Regulations Concerning Industrial Users: Industrial Sewer Permits, Regulations concerning Sewer Use: Pretreatment Regulation" ("RVRSA's Rules and Regulations"); and

WHEREAS, the New Jersey Department of Environmental Protection (NJDEP) has directed that RVRSA modify all Industrial Pretreatment Program (IPP) permits issued to significant/major indirect users in accordance with N.J.A.C. 7:14A-19.10(e) and by authority of the New Jersey Water Pollution Control Act at N.J.S.A. 58:10A-1 et seq., to require that each significant/major indirect user discharging to the RVRSA treatment plant prepare an Emergency Discharge Limitation Plan and implement it during emergency situations in accordance with N.J.A.C. 7:14A-6.12; and

WHEREAS, in accordance with requirements promulgated at N.J.A.C.

7:14A-19.10(e), public notice is required to be published in the Daily Record and an opportunity for public comment must be provided regarding the proposed modification of an Industrial Sewer Connection Permit, and written notice must be provided to the permittee prior to permit modification.

NOW, THEREFORE, BE IT RESOLVED, by the Rockaway Valley Regional Sewerage Authority as follows:

1. The Executive Director is hereby authorized and directed to publish the attached “Public Notice of Issuance of Draft Mass Modification of Permits of Significant Indirect Users For Development of Emergency Discharge Limitation Plan” in the Daily Record advising of the proposed modification of the Industrial Sewer Connection Permit of all significant/major indirect users permitted by the RVRSA, and to provide to the permittees written notice of the same.

2. This Resolution shall take effect as provided by law.

CERTIFICATION

I hereby certify that this Resolution was adopted at a meeting of the Rockaway Valley Regional Sewerage Authority held on October 13, 2016

On motion of Hector Schorno

Second by John Cegelka


And a Roll Call Vote as Follows:

Yeas: (9) Andes, Cegelka, Corbett, Guadagno, Lowell, Recchia, Rossi, Schorno,
Secco

Nays: (0) None

Abstain: (0) None

Absent: (1) Vincitore


Michael Guadagno
Board Secretary

ROCKAWAY VALLEY REGIONAL SEWERAGE AUTHORITY
RD #1, 99 GREENBANK ROAD
BOONTON, NEW JERSEY 07005-9602

PUBLIC NOTICE
ISSUANCE OF DRAFT MASS MODIFICATION OF PERMITS OF
SIGNIFICANT INDIRECT USERS FOR DEVELOPMENT OF
EMERGENCY DISCHARGE LIMITATION PLAN

Notice is given that the Rockaway Valley Regional Sewerage Authority (RVRSA) hereby proposes to modify all Industrial Pretreatment Program (IPP) permits issued to significant/major indirect users (see list below) in accordance with N.J.A.C. 7:14A-19.10(e) and by authority of the New Jersey Water Pollution Control Act at N.J.S.A. 58:10A-1 et seq.

This IPP permit modification will require each significant/major indirect user discharging to the RVRSA treatment plant to amend their existing Emergency Plan, as required by at N.J.A.C. 7:14A-6.12, to prepare an Emergency Discharge Limitation Plan and implement it during emergency situations. An emergency is an event, whether natural or man-made, that diminishes the ability of a treatment works to convey and/or treat wastewater and presents or may present imminent endangerment to public health and the environment. The Emergency Discharge Limitation Plan specifically requires each significant/major indirect user to limit discharges during an emergency and to mitigate damage to waters of the State of New Jersey arising from an emergency in accordance with N.J.A.C. 7:14A-6.12. This modification is being issued in accordance with N.J.A.C. 7:14A-6.12, and is further explained in the New Jersey Department of Environmental Protection's "Guidance for Pretreatment Programs During Emergency Situations" which is available at <http://www.nj.gov/dep/dwq/pdf/emergency-guidance-for-pretreatment.pdf>.

The specific elements that are required to be addressed in the Emergency Discharge Limitation Plan have been forwarded to each significant/major indirect user prior to this publication. Paper copies of these specific elements are available upon request by contacting RVRSA.

Each significant/major indirect user shall notify Natalie Pisarcik, Pretreatment Coordinator, Rockaway Valley Regional Sewerage Authority, RD #1, 99 Greenbank Road, Boonton, New Jersey, 07005-9602, in writing that the Emergency Discharge Limitation Plan has been completed. This notification shall be provided within 12 months of the effective date of this final permit.

The Industrial Pretreatment Program (IPP) permits proposed to be modified via this permit action are:

Facility Name:

Dimensional Merchandising Inc.
Enteris Biopharma
Howmet Castings
McWilliams Forge
Picatinny Arsenal

Physical Address:

86 N. Main St., Wharton, NJ 07885
83 Fulton St., Boonton, NJ 07005
9 Roy St., Dover, NJ 07801
387 Franklin Ave., Rockaway, NJ 07866
Route No. 15, Picatinny Arsenal, NJ 07806

[Type here]

Polyfil Corporation
Rockaway Townsquare Mall
St. Clare's Hospital – Denville
St. Clare's Hospital – Dover
Whitlock Packaging

74 Green Pond Rd., Rockaway, NJ 07866
301 Mount Hope Ave., Rockaway, NJ 07866
25 Pocono Road, Denville, NJ 07834
400 W. Blackwell St., Dover, NJ 07801
92 N. Main St., Wharton, NJ 07885

All significant/major indirect users and the general public may submit written comments on this draft IPP Permit modification or a request that RVRSA hold a non-adversarial public hearing on this IPP permit to JoAnn Mondsini Attention: Comments on IPP Mass Permit Modification Public Notice at RD #1, 99 Greenbank Road, Boonton, New Jersey, 07005, by the close of the public comment period, which closes thirty (30) calendar days after publication of this notice in the newspaper. All persons who believe that RVRSA's tentative decision to issue this permit action is inappropriate must raise all reasonable issues of concern and submit all arguments and factual materials supporting their position during the public comment period. Any request for a public hearing shall state the nature of the proposed issues to be raised in the hearing. A public hearing will be conducted if RVRSA determines there is a significant degree of public interest. If a public hearing is held, the public comment period is automatically extended through the close of the hearing.

RVRSA will consider and respond to all significant and timely submitted comments.

JoAnn Mondsini
Executive Director

[Type here]