

Resolution 21-061

**RESOLUTION AUTHORIZING EXECUTION OF A RENEWAL  
INDUSTRIAL SEWER CONNECTION PERMIT TO:  
Cibao Meat Products, Inc. (Cibao Meat)  
Block 22103 / Lot 16  
Township of Rockaway**

**WHEREAS**, the Rockaway Valley Regional Sewerage Authority (hereinafter “the Authority”) is authorized by the Sewerage Authorities Law [N.J.S.A. 40:14A-7(11)] to make and enforce rules and regulations for the management and regulation of its business and affairs and/or the use, maintenance, and operation of the sewerage system and any other of its properties and to amend the same; and

**WHEREAS**, the Authority is a Delegated Local Agency of the New Jersey Department of Environmental Protection and administers an industrial pretreatment program within the service area of the Authority; and

**WHEREAS**, in accordance with the regulations governing industrial pretreatment programs established at N.J.S.A. 7:14A-1 et. seq., the Authority is required to issue permits and renew permits to industrial discharges within the RVRSA that discharge process wastewater to the Authority’s facility; and

**WHEREAS**, in compliance with the regulations contained at N.J.A.C. 7:14A-15.10, public notice of the issuance of a draft Industrial Sewer Connection Permit to Cibao Meat Products, Inc. was published in the Daily Record on March 20, 2021, and a thirty (30) day public comment period commenced from the date of publication until April 19, 2021, wherein no comments were received.

**NOW THEREFORE, BE IT RESOLVED**, by the Rockaway Valley Regional Sewerage Authority as follows:

1. The Executive Director, Joann Mondsini, is hereby authorized to execute a renewal Industrial Sewer Connection Permit in accordance with the terms and conditions of a form of Industrial Sewer Connection Permit (ISCP), SIC Code 2844 dated July 1, 2021 marked Schedule “A” attached hereto and a part hereof, a copy of which is also, on file

at the offices of RVRSA, to Cibao Meat Products, Inc. (Cibao Meat), subject to compliance with any permit condition(s) which must be satisfied prior to issuance of this renewal permit, if any; and also subject to compliance with all remaining engineering requirements, if any.

2. This approval is subject to the payment of the appropriate RVRSA pretreatment annual permit fee.
3. This ISCP is subjected to a flow limitation not to exceed **10,225** gallons per day, monthly average.

I hereby certify that this Resolution was adopted at a meeting of the Rockaway Valley Regional Authority held on May 13, 2021.

On motion of Commissioner Guadagno

Seconded by Commissioner Cegelka

And a Roll Call Vote as Follows:

Yeas: (8) Cegelka, Farrell, Guadagno, Howarth, Isselin, Recchia, Schorno, Zuppa

Nays: (0)

Abstain: (1) Andes

Absent: (1) Corbett

  
Michael Guadagno  
Secretary