

Resolution 22-067

RESOLUTION AUTHORIZING EXECUTION OF AN
INDUSTRIAL SEWER CONNECTION PERMIT RENEWAL TO:

Rockaway Center Associates
dba: Rockaway Townsquare Mall
Block 11001 / Lots 1 to 11
Township of Rockaway

WHEREAS, the Rockaway Valley Regional Sewerage Authority (hereinafter "the Authority") is authorized by the Sewerage Authorities Law [N.J.S.A. 40:14A-7(11)] to make and enforce rules and regulations for the management and regulation of its business and affairs and/or the use, maintenance, and operation of the sewerage system and any other of its properties and to amend the same; and

WHEREAS, the Authority is a Delegated Local Agency of the New Jersey Department of Environmental Protection and administers an industrial pretreatment program within the service area of the Authority; and

WHEREAS, in accordance with the regulations governing industrial pretreatment programs established at N.J.S.A. 7:14A-1 et. seq., the Authority is required to issue permits and renew permits to industrial discharges within the RVRSA that discharge process wastewater to the Authority's facility; and

WHEREAS, in compliance with the regulations contained at N.J.A.C. 7:14A-15.10, public notice of the issuance of a draft Industrial Sewer Connection Permit to Rockaway Center Associates (RCA), dba Rockaway Townsquare Mall was published in the Daily Record on April 21, 2022, and a thirty (30) day public comment period commenced from the date of publication until May 20, 2022, wherein no comments were received.

NOW THEREFORE, BE IT RESOLVED, by the Rockaway Valley Regional Sewerage Authority as follows:

1. The Executive Director, Joann Mondsini, is hereby authorized to execute an Industrial Sewer Connection Permit renewal and modification in accordance with the terms and conditions of a form of Industrial Sewer Connection Permit (ISCP), SIC Code 3087

dated July 1, 2022 marked Schedule "A" attached hereto and a part hereof, a copy of which is also, on file at the offices of RVRSA, to Rockaway Center Associates (RCA), dba: Rockaway Townsquare Mall, subject to compliance with any permit condition(s) which must be satisfied prior to issuance of this permit renewal and modification, if any; and also subject to compliance with all remaining engineering requirements, if any.

2. This approval is subject to the payment of the appropriate RVRSA pretreatment annual permit fee.
3. This ISCP is subjected to a flow limitation not to exceed 246,231 gallons per day, monthly average.

I hereby certify that this Resolution was adopted at a meeting of the Rockaway Valley Regional Authority held on June 9, 2022.

On motion of: Commissioner Howarth

Second by: Commissioner Isselin


and a Roll Call vote as follows:

Yeas: (8) Andes, Corbett, Farrell, Guadagno, Howarth, Isselin, Lavery, and Zuppa.

Nays: (0)

Abstain: (0)

Absent: (2) Cegelka and Schorno


Michael Guadagno
Secretary